



## ISTITUTO NAZIONALE DI RICERCA METROLOGICA Repository Istituzionale

The H2020 european project DEMETRA: Experimental time services based on European GNSS signals

This is the author's accepted version of the contribution published as:

*Original*

The H2020 european project DEMETRA: Experimental time services based on European GNSS signals / Tavella, P.; Sesia, I.; Cerretto, G.; Signorile, G.; Calonico, D.; Costa, Roberto; Clivati, C.; Cantoni, ELENA CARLA; DE STEFANO, Concetta; Frittelli, M.; Formichella, Valerio; Biserni, E.; Leone, V.; Zarroli, E.; Sormani, D.; Defraigne, P.; Baire, Q.; Gandara, M.; Hamoniaux, V.; Varriale, E.; Morante, Q.; Widomski, T.; Kaczmarek, J.; Uzycki, J.; Borgulski, K.; Olbrysz, P.; Kowalski, J.; Gliwka, K.; Cernigliaro, A.; Fiasca, F.; Perrotta, Andrea; Facca, M.; Dhiri, V.; Veiga, M. T.; Suarez, T.; Diaz, J.; Mangiantini, M.; Wallin, A. E.; Galzerano, W. *arXiv:1606.05743 [2016]*, pp. 1-75-476. 2016-09-21. *to presentato al convegno 2017 Joint Conference of the European Frequency and Time Forum and IEEE International Frequency Control Symposium, EFTF/IFC 2017*) [10.1109/FCS.2017.8088930].

*Publisher:*

*Published*

DOI:10.1109/FCS.2017.8088930

*Terms of use:*

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

*Publisher copyright*

IEEE

© 20XX IEEE. Personal use of this material is permitted. Permission from IEEE must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collective works, for resale or redistribution to servers or lists, or reuse of any copyrighted component of this work in other works

(Article begins on next page)

24 February 2024



# The H2020 European Project DEMETRA:

## Experimental Time Services based on European GNSS Signals

P. Tavella, I. Sesia, G. Cerretto, G. Signorile,  
D. Calonico, R. Costa, C. Clivati, E. Cantoni,  
C. De Stefano, M. Frittelli, V. Formichella  
INRIM, Italy

E. Biserni, V. Leone, E. Zarroli, D. Sormani  
ANTARES, Italy

P. Defraigne, Q. Baire  
Observatoire Royal de Belgique, ORB, Belgium

M. Gandara, V. Hamoniaux  
Thales Alenia Space France, TAS-F, France

E. Varriale, Q. Morante  
Thales Alenia Space Italy, TAS-I, Italy

T. Widomski, J. Kaczmarek, J. Uzycki, K. Borgulski, P.  
Olbrysz, J. Kowalski, K. Gliwka  
ELPROMA, Poland

A. Cernigliaro, F. Fiasca, A. Perucca, M. Facca  
AIZOON, Italy

V. Dhiri,  
Telespazio VEGA UK Ltd, United Kingdom

M.T. Veiga, T. Suárez, J. Diaz  
DEIMOS, Spain

M. Mangiantini  
METEC, Italy

A.E. Wallin  
MIKES Metrology, VTT Technical Research Centre of  
Finland Ltd, Finland

L. Galleani  
Politecnico di Torino, Italy

P. Whibberly, D. Hindley  
National Physical Laboratory, NPL, United Kingdom

**Abstract**—DEMETRA, the “DEMonstrator of Egnss services based on Time Reference Architecture”, is an European Project funded by the European Union in the Horizon 2020 program. The main aim of the project was to develop and test a prototype of Time Service Provider based the European Global Navigation Satellite System (GNSS) providing innovative or improved time services based on different technologies and embedded in a modular architecture. The main innovative features are time certification, non-repudiation, integrity, reliability, resilience. The demonstrator has been developed and tested during the years 2015-2016. Nine different time services were developed and tested also in real environment at users premises. The paper reports the results of the experimental campaigns and the main lesson learned also by the trials with potential users.

**Keywords**— EGNSS; time dissemination; time services;

### I. INTRODUCTION

The GNSSs are disseminating time at 10-20 ns accuracy and the signal is worldwide available. Nevertheless some users are not completely satisfied with the GNSS time service as the GNSS receivers can fail, the signal can be disrupted, anomalies are not identified, and particularly the clock at user level is not certified or validated by the time service provider. We started thinking to the possible features to be added to the European GNSS time dissemination service, and also to

independent time dissemination subsystem to be used in parallel with the GNSS receiver to increase the resilience and reliability of the time information.

In parallel, a User Needs Analysis and a Business Plan was carried out during the project, by entering in contact with possible market segments trying to identify their needs. The market analysis of the European GNSS Agency (GSA) in 2015[1] reported for the first time the European timing and synchronisation service available from GNSS, mentioning the Demetra project, and the main strategic markets were deemed to be energy, telecom, and finance. The same time service is reported in the 2017 version of the GSA report [2].

### II. THE DEMETRA SET UP

The concept of DEMETRA Architecture and the nine time services are described in [3] [4] [5]. The demonstrator has been assembled and integrated at INRIM premises in Turin by the end of February 2016. After the integration, it has been tested for six months with two experimentation test campaigns:

- Closed Loop Test (March-May 2016) where the User Terminal (UT) was placed in the same location of the Reference Time Generator [6].



### Service 4: Time and Frequency Distribution via GEO Satellite

The service “Time and Frequency Distribution via GEO Satellite” could be used as a back-up with respect to traditional synchronization systems based on GNSS. The system allows to synchronize user stations by means of a geostationary satellite and a set of two-way ancillary stations. As shown in Fig. 5, the time received at user level (the Czech UFE laboratory), remained in a range narrower than 100 ns with respect to the reference time in INRIM.




Fig. 5: Service 4 - Phase/time offset of the UT with respect to the reference time

### Service 5: User GNSS Receiver Calibration

Time laboratories need to repeat the calibration of their equipment almost every year as mentioned in [9]. During the DEMETRA development, two kind of calibrations of the GNSS receivers were carried out:

- Absolute calibration realized by CNES [10] with an Uncertainty of 1 ns.
- Relative calibration realized by ORB for each GNSS stations involved in DEMETRA with an uncertainty of 3 ns.




Fig. 6: Service 5- Relative calibration

### Service 6: Certified Time Steering

The service “Certified Time Steering” is based on a remote steering and synchronization of the user oscillator and a monitoring of the time offset between the Time Reference and the User clock in real time. Other important aim of the service is to provide a certification of the phase and frequency offsets of the user oscillator with respect to the reference [11].




Fig. 7: Service 6 - Time Offset of the User with respect to the Reference Time

As shown in the plot the difference between the Time Offset of the User with respect to the Reference Time was maintained below 12 ns.

### Service 7: Time Monitoring and Steering

“Time Monitoring and Steering” provides the monitoring of the user atomic clock or time scale in near real time at the nanosecond level based on the Precise Point Positioning technique alerting the users about any abnormal phase or frequency jump. The service additionally provides to the user daily information for the steering of its atomic clock or time scale to be aligned with UTC.

During the DEMETRA experimental phase, all the user atomic clocks were monitored with a latency of max 75 minutes, and any clock phase jump larger than 1.5 ns was detected successfully giving rise to an alarm.





Fig. 8: Service 7 - Hourly PPP monitoring of the time offset of the User time scale

### Service 8: Time Integrity



###SVN###	####MJD###	#####DATE#####	###AMPLITUDE###	###UNITS###	###DETECTED ANOMALY##
E12	57455.6285	2016-03-08 15:05:00	4.72e-13	[Hz],units	Frequency Jump
E12	57459.0035	2016-03-12 00:05:00	4.86e-13	[Hz],units	Frequency Jump
E19	57456.0000	2016-03-09 00:00:00	3.22e-09	[seconds]	Phase Jump

Fig. 9: Service 8 - Space clock jumps detection and list of not usable satellites

A Time Integrity service was developed with the aim to check possible anomalies in the Galileo transmission of GGTO and UTC and possible frequency jump on the Galileo clocks.

The service provides to the GNSS user timing information, complementary to broadcast Navigation Message data, allowing user positioning and timing accuracy improvements [11] Example of space clock detected jumps and the possible list of usable satellite is reported Fig. 9 ([9], [12]).

#### Service 9: All-in-one Time Synchronization Solution

Service 9 is based on a Thales Alenia Space Italia patented system for high performance network synchronization known as SynchroNet. SynchroNet is able to slave a network of clocks connected to GNSS receivers ensuring high synchronization, resilience, certification, and integrity. Details about the service and experimental results are reported in [13]




Fig. 10: Service 9 - Installation of the equipment in the DEMETRA Lab

#### IV. CONCLUSIONS

The time service demonstrator, funded by the European project DEMETRA, has been designed, developed, qualified, and integrated at INRIM. All the test campaign has been carried out in March-October 2016 and monitored on the website [www.demetratime.eu](http://www.demetratime.eu). The experimental time services and the exchange with different market segments has allowed the assessment of the potential interest for the time services based on the European GNSS.

#### ACKNOWLEDGEMENTS

This project has received funding from the European GNSS Agency under the European Union's Horizon 2020 research and innovation programme under grant agreement No 640658.

#### REFERENCES

- [1] <http://www.gsa.europa.eu/2015-gnss-market-report>
- [2] [https://www.gsa.europa.eu/system/files/reports/gnss\\_mr\\_2017.pdf](https://www.gsa.europa.eu/system/files/reports/gnss_mr_2017.pdf)
- [3] P. Tavella and DEMETRA consortium, "The Horizon 2020 DEMETRA project: DEMonstrator of EGNSS services based on Time Reference Architecture", Metrology for Aerospace (MetroAeroSpace) Benevento 2015.
- [4] P. Tavella and DEMETRA consortium "The European Project DEMETRA: Demonstrating Time Dissemination Services", in proc ION PTTI Precise Time and Time Interval meeting, Monterey CA, Jan 2016
- [5] P. Tavella and DEMETRA, "Experimental Time Dissemination Services Based on European GNSS Signals: the H2020 DEMETRA Project", paper presented at the 30th European Frequency and Time Forum, April 2016.
- [6] P. Tavella and DEMETRA Consortium "Time Dissemination Services: The Experimental Results of the European H2020 DEMETRA", paper presented at the IEEE International Frequency Control Symposium, May 2016, New Orleans (Louisiana). May 2016 <https://doi.org/10.1109/FCS.2016.7563585>
- [7] T. Widomski, J. Uzycki, K. Borgulski, J. Kowalski, R. Bender, P. Olbrysz, "Trusted Time Distribution with Auditing and Verification facilities Project TSI#2", paper presented at Precise Time And Time Interval Systems And Applications Meeting January 2016, Monterey, California
- [8] T. Widomski, ELPROMA " Network Time Synchronization SFT (System Fault Tolerance) Architectures and Implementations for Financial Market", paper presented at ION PTTI 2017 Conference, January 31 - February 2, 2017, at the Hyatt Regency Monterey, Monterey, California.
- [9] Pascale Defraigne, ORB On behalf of the DEMETRA consortium "Demonstrator of Time Services based on European GNSS Signals: The H2020 DEMETRA Project," paper presented at ION PTTI 2017 Conference, January 31 - February 2, 2017, Monterey, California.
- [10] J. Delporte, D. Valat, T. Junique, FX Marmet, "Progress on absolute calibrations of GNSS reception chains at CNES", paper presented at the IEEE International Frequency Control Symposium, May 2016, New Orleans (Louisiana).
- [11] P. Defraigne et al, "Advances on the use of Galileo signals in time metrology: calibrated time transfer and estimation of UTC and GGTO using a combined commercial GPS-Galileo receiver", in Proc. of the Precise Time and Time Interval Systems and Applications (PTTI), Bellevue, WA, USA, 3-5 December, 2013.
- [12] I. Sesia, P. Tavella, G. Signorile, A. Cernigliaro, F. Fiasca, P. Defraigne, L. Galleani, " First steps towards a Time Integrity Service for EGNSS systems, in the DEMETRA project", poster presented at the 30th European Frequency and Time Forum, April 2016.
- [13] E. Varriale, Q. Morante, Thales Alenia Space Italia S.p.A, "Synchronet service demonstration results in demetra h2020 project: a scalable high performances synchronisation solution", ION PTTI 2017 Conference, January 31 - February 2, 2017, Monterey, California.