




## **Book of Abstracts**



6 – 10 June 2022 Ljubljana, Slovenia



# **Sponsors**

International Atomic Energy Agency Vienna International Centre PO Box 100 1400 Vienna Austria

-----

k0-ware Schaesbergerweg 25 6415 AB Heerlen The Netherlands

-----

Book of Abstracts Page 2 of 70



### 8<sup>th</sup> International *k*<sub>0</sub>-Users' Workshop 6 – 10 June 2022 Ljubljana, Slovenia



#### No. 02

#### The 2021 IAEA software intercomparison for k0-INAA

Giancarlo D'Agostino<sup>1</sup>, Menno Blaauw<sup>2,\*</sup>, Ho Manh Dung<sup>3</sup>, Marco di Luzio<sup>1</sup>, Radojko Jacimovic<sup>4</sup>, Mauro Da Silva Dias<sup>5</sup>, Renato Semmler<sup>5</sup>, Robbert van Sluijs<sup>6</sup>, Nuno Pessoa Barradas<sup>7</sup>

<sup>1</sup>Istituto Nazionale di Ricerca Metrologica (INRIM), c/o Department of Chemistry, University of Pavia, via Taramelli 12, 27100 Pavia, Italy

<sup>2</sup>Reactor Institute Delft, Delft University of Technology, Mekelweg 15, 2629 JB Delft, The Netherlands

<sup>3</sup>Center for Nuclear Technologies (CNT), 217 Nguyen Trai Street, District 1, Ho Chi Minh City, Vietnam

<sup>4</sup>Jozef Stefan Institute, Ljubljana, Slovenia

<sup>5</sup>Instituto de Pesquisas Energéticas e Nucleares (IPEN-CNEN/SP), Research Reactor Center (CERPq), Av. Prof. Lineu Prestes, 2242, São Paulo, SP, Brazil

<sup>6</sup>k0-ware, Schaesbergerweg 25, 6415 AB Heerlen, The Netherlands

<sup>7</sup>International Atomic Energy Agency, Vienna International Centre, PO Box 100, A-1400 Vienna, Austria

\*Corresponding author: m.blaauw@tudelft.nl

#### **Abstract**

In order to establish the variation between results due to software implementation in mass fractions as measured by the k<sub>0</sub>-method for INAA, the IAEA has organized a software intercomparison. A complete set of test spectra and associated information was assembled. Efficiency curves, neutron spectrum parameters, correction factors and mass fractions were calculated with the participating programs (list of program names here) using identical peak areas. In this paper, we report on the observed discrepancies, causes, remedies and future software developments. The test data, as well as expected and certified mass fractions of the BCR-320R channel sediment sample material will be made available to all.

Book of Abstracts Page 17 of 70