


PRE'17



7th International Workshop on

**PHOTOLUMINESCENCE IN RARE EARTHS:
PHOTONIC MATERIALS AND DEVICES (PRE'17)**

November 30 – December 2, 2017 | Rome, Italy



Program and Abstracts

Edited by Giancarlo C. Righini

Roma, 2017

Fabrication and characterization of erbium doped bioactive glasses, glass ceramics and optical fibers

Pablo Lopez-Iscoa^{1*}, Diego Pugliese¹, Nadia G. Boetti², Davide Janner¹, Laetitia Petir^{3,4} and Daniel Milanese^{1,5}

¹ Dipartimento di Scienza Applicata e Tecnologia (DISAT) and UdR INSTM, Corso Duca degli Abruzzi 24, 10129 Torino, Italy

² Istituto Superiore Mario Boella, Via P. C. Boggio 61, 10134 Torino, Italy

³ Laboratory of Photonics, Tampere University of Technology, Korkeakoulunkatu 3, 33720 Tampere, Finland

⁴ nLIGHT Corporation, Sorronrinne 9, 08500 Lohja, Finland

⁵ IFN - CNR, CSMFO Lab., Via alla Cascata 56/C, 38123 Povo (TN), Italy

* pablo.lopeziscoa@polito.it

Keywords: bioactive phosphate glass, erbium

Since the initial discovery of the Bioglass® [1], interest in tissue regeneration has increased [2]. Besides silicate glasses, phosphate glasses with a P₂O₅ content equal to 50 mol% have shown to be bioactive, degradable and suitable for fiber drawing [3]. Other interesting properties of phosphate glasses are linked to the engineering of photonic devices. These properties include their easy processing, good thermal stability and excellent optical characteristics [4]. Recently, nanoparticles (NPs) containing glasses approaches to manufacture doped optical fibers have been shown to improve doping efficiency [5]. Apart from the NPs containing glasses, glass ceramics (GCs) have also been found to control the chemical environment of the RE. In fact, these materials combine the mechanical and optical properties of the glass with some advantages of RE-doped single crystals (higher emission and longer lifetimes) [6].




Figure 1 FE-SEM pictures of glass ceramics (a) and particles containing glasses (b).

The aim of this project is to develop innovative glasses and glass based fibers with improved spectroscopic properties to be used as sensors. The research activity carried out concerned the synthesis of novel bioactive glasses based on the nucleation and growth of crystals (Fig 1a), and on the incorporation of particles into the glasses (Fig 1b). Another final goal of the research project will be the processing of new sensors with tailored optical and biological response suitable for use in biological medium.

The research leading to these results has received funding from: the European Union's Horizon 2020 research and innovation programme under the Marie Skłodowska-Curie grant agreement No. 642557; Politecnico di Torino through the Interdepartmental Centre "PhotoNext". The authors acknowledge the COST Action MP1401 "Advanced Fibre Laser and Coherent Source as Tools for Society, Manufacturing and Lifescience" for the partial support of this research effort. LP acknowledges the Academy of Finland ("Competitive funding to strengthen university research profiles" -310359 and Academy project-308558).

References

- [1] L. L. Hench, R. J. Splinter, W. C. Allen, and T. K. Greenlee, "Bonding mechanisms at the interface of ceramic prosthetic materials," *J. Biomed. Mater. Res.*, vol. 5, no. 6, pp. 117-141, 1971.
- [2] D. Groh, F. Döhler, and D. S. Brauer, "Bioactive glasses with improved processing. Part 1. Thermal properties, ion release and apatite formation," *Acta Biomater.*, vol. 10, no. 10, pp. 4465-4473, 2014.
- [3] G. Novajra, J. Lousteau, D. Milanese, and C. Vitale-Brovarone, "Resorbable hollow phosphate glass fibres as controlled release systems for biomedical applications," *Mater. Lett.*, vol. 99, pp. 125-127, 2013.
- [4] J. H. Campbell and T. I. Suratwala, "Nd-doped phosphate glasses for high-energy/high-peak-power lasers," *J. Non. Cryst. Solids*, vol. 263, pp. 318-341, 2000.
- [5] A. Le Sauze, C. Simonneau, A. Pastouret, D. Gicquel, L. Bigot, S. Choblet, A. M. Jurduc, and B. Jacquier, "Nanoparticle Doping Process: towards a better control of erbium incorporation in MCVD fibers for optical amplifiers," *Opt. Soc. Am.*, pp. 5-7, 2003.
- [6] G. Dantelle, M. Mortier, D. Vivien, and G. Patriarche, "Influence of Ce³⁺ doping on the structure and luminescence of Er³⁺-doped transparent glass-ceramics," in *Optical Materials*, 2006, vol. 28, no. 6-7, pp. 638-642.